

# **Australian Hammer Supplies Hire**

Unit 3/32 Williamson Road Ingleburn **NSW 2565** 

### KUBOTA SVL65 SKID STEER LOADER

**Major Service** 

0 10 0 80

12

Inspection Number

RP052396

Customer No

Serial Number

17082

**Customer Name** 

Make

**KUBOTA** 

Model

SVL65

**Equipment Family** 

SKID STEER LOADER

Asset ID

AHSH115

Location

AUSTRAILAN HAMMER SUPPLIES HIRE

Unit 3/32 WILLIAMSON RD

**INGLEBURN** 

2565

**Customer Email** 

Works Order

RP052396

Completed On

19/08/2025 1:49:04 PM

Inspector

Collin Graham

PDF Generated On 19/08/2025

Machine Hours

1831

**Next Meter** 

1943

Customer

#### **General Info & Comments**

Serial Number: 17082 Asset ID: AHSH115 Severity Report Page 1 of 8



#### General Info/Comments

2000hr service







	Machine Hours	1831
	Next Service Due Hours	2250
T	ASK SAFETY INSTRUCTIONS	
	1.1 Wear Correct PPE at all times	PASS
	1.2 All isolation and safe work procedures must be followed	PASS
	1.3 Identify task hazards and controls utilising hierarchy or controls model	PASS
	1.4 Ensure a competent operator and spotter is utilised to move mobile equipment	PASS
	1.5 Ensure all mobile equipment is fundamentally stable	PASS
	1.6 Ensure three points of contact is maintained during access and egress	PASS

Severity Report Serial Number: 17082 Asset ID: AHSH115 Page 2 of 8



1.7 Ensure acceptable housekeeping standards are maintained at all times	PASS		
MACHINE GENERAL RUNNINGCHECKS			
<ul> <li>2.1 Check all work lights, beacon &amp; reverse alarmfor operation</li> </ul>	PASS		
2.2 Test all dash warning lights, gauges and audible alarms for correct operation	on PASS		
2.3 Check idle timer for correct shut down operation	PASS		
2.4 Check operation of all three emergency stop buttons	PASS		
2.5 Check operation of horn	PASS		
2.6 Check operation of reverse camera	PASS		
2.7 Check alternator charge voltage	PASS		
2.8 Check operation of auto grease systemby manually activating timer	N/A		
2.9 Check fire systemcontrol panel for 'Normal'	N/A		
PM FIRE SUPPRESSION SYSTEM			
5.1 Ensure fire suppression bottle and components are securely mounted and good condition	in <i>N/A</i>		
5.2 Ensure fire suppression is correctly charged	N/A		
5.3 Inspect last charge date	DATE:2025-08- 19T00:00:00. 0000000		
5.4 Check all fire extinguishers are securely mounted and in good condition	PASS		
5.5 Check all fire extinguishers are correctly charged	PASS		
5.6 Inspect last charge date	DATE:2025-08- 19T00:00:00. 0000000		
PM ENGINE			
6.1 Performengine valve set	N/A		
6.2 Inspect air intake systemhoses, pipes, clamps for signs of dirt ingress	PASS		

Asset ID: AHSH115

Page 3 of 8

Serial Number: 17082



6.3 Inspect engine for oil or fuel leaks	PASS		
6.4 Inspect engine components for missing clamps	PASS		
6.5 Inspect exhaust systemfor signs of leaks, loose bolts or missing clamps	PASS		
6.6 Inspect turbo for security and signs of leaks	PASS		
6.7 Inspect condition of exhaust lagging	PASS		
6.8 Inspect engine mounts for condition and loose hardware	PASS		
6.9 Inspect alternator mount condition and adjustment	PASS		
6.10 Inspect wiring condition and security	PASS		
6.11 Inspect engine belts	PASS		
PM ENGINE COOLINGSYSTEM			
7.1 Check coolant level	PASS		
7.2 Check condition of radiator cap	PASS		
7.3 Check condition of radiator core	PASS		
7.4 Check cooling systemfor signs of leaks	PASS		
7.5 Check hose and clamp condition	PASS		
7.6 Inspect fan condition and operation	PASS		
7.7 Inspect radiator and fan guard condition	PASS		
PM SWINGTRANSMISSION			
8.1 Inspect swing transmission for signs of leaks	N/A		
8.2 Inspect swing transmission oil level	N/A		
PM HYDRAULIC SYSTEM			
9.1 Check hydraulic oil level	PASS		
9.2 Inspect hydraulic cylinders for leaks and security	PASS		

Asset ID: AHSH115

Page 4 of 8

Serial Number: 17082



9	.3 Inspect hydraulic hoses for leaks, damage, security	NORMAL
9	.4 Inspect hydraulic pump condition, leaks, security	PASS
	.5 Check Pilot Accumulator operation as per OEM Maintenance Procedure - Test Boom Down Functionality with engine off	PASS
PM F	FINAL DRIVES	
1	0.1 Inspect LHS final drive mount condition for leaks and security	PASS
1	0.2 Inspect LHS oil level and mag plug condition	PASS
1	0.3 Inspect RHS final drive mount condition for leaks and security	PASS
1	0.4 Inspect RHS oil level and mag plug condition	PASS
PM L	JNDERCARRIAGE	
1	1.1 Inspect LHS track tension	PASS
1	1.2 Inspect RHS track tension	PASS
1	1.3 Inspect tracks for loose/missing bolts	PASS
1	1.4 Inspect load and carrier rollers for signs of leaks	PASS
1	1.5 Inspect idlers for signs of leaks	PASS
1	1.6 Inspect sprocket segments condition	PASS
1	1.7 Inspect track frame for cracks, lose or missing hardware	PASS
PM F	FRAME AND BODY	
1	2.1 Check panels for damage and security	PASS
1	2.2 Check access steps and walkway condition	PASS
	2.3 Inspect boom condition – cracks, missing clamps, damaged pipes, excessive novement, lubrication	PASS
	2.4 Inspect stick condition – cracks, missing clamps, damaged pipes, excessive novement, lubrication	N/A
1	2.5 Inspect quick hitch condition and operation	PASS

Asset ID: AHSH115

Page 5 of 8

Serial Number: 17082



12.6 Inspect bucket cor	ndition – cracks, wear, damage, mounts	PASS
12.7 Inspect GET condi	ition and hardware	FAIL
PM ELECTRICAL SYSTEM		
13.1 Check battery con	dition	PASS
<ul><li>13.2 Check battery tern</li></ul>	ninal condition	PASS
13.3 Check battery sec	urity	PASS
13.4 Check battery box	drain is clear	PASS
13.5 Check wiring cond	lition and security	PASS
PM GREASE SYSTEM		
14.1 Check all points for	or acceptable lubrication	PASS
14.2 Inspect grease sys	stemoperation	PASS
14.3 Check grease line	condition	PASS
14.4 Refill grease tank		N/A
14.5 Lubricate bucket li	inkage	PASS
14.6 Lubricate blade lin	ıkage	N/A
14.7 Lubricate boom&	stick linkage	PASS
14.8 Lubricate swing be	earing	N/A
PM OPERATOR STATION		
15.1 Check all doors fo	r correct opening and closing adjustments and operation	PASS
15.2 Inspect condition	of door seals	PASS
● 15.3 Check window gla	ss and seal condition	PASS
15.4 Check mirror cond	lition and adjustments	PASS
15.5 Fill window washe	r reservoir	PASS

Asset ID: AHSH115

Page 6 of 8

Serial Number: 17082



<u> </u>	
15.6 Inspect air con vents condition	PASS
15.7 Inspect seat belt and mounting hardware	PASS
15.8 Inspect seat condition, operation and mounting	PASS
15.9 Replace cabin A/C filter	PASS
OIL SAMPLING	
16.1 Engine	PASS
PM POST SERVICE INSPECTION CHECKS	
17.1 All inspections have been completed and rectified as required	PASS
17.2 All safety related defects have been repaired or reported	PASS
17.3 All defects have been noted and reported	FAIL
17.4 All fluids are at correct level and drain plugs tight	PASS
<ul> <li>17.5 All oil samples have visually been inspected and any notable signs of contamination have been reported</li> </ul>	PASS
17.6 All replaced filters have been cut and inspected and photos added to CAT Inspect and reported to supervisor	PASS
17.7 Machine has been recommissioned and ready for operation	PASS
■ 17.8 PM service notification marked off in Vision Link	N/A
DEFECTS IDENTIFIED	
18.1 DEFECTS IDENTIFIED	cutting edge requires replacing, bushes on bucket pivot of boom worn,rhs track adjuster not taking grease, grease nipple on rhs 4in1 cylinder damaged
OIL USED	
19.1 Hydraulic oil	18

Severity Report Serial Number: 17082 Asset ID: AHSH115 Page 7 of 8



19.2 Engine oil	10
19.3 Slew oil	0
19.4 Gear oil	3
19.5 Coolant	1

Severity Report Serial Number: 17082 Asset ID: AHSH115 Page 8 of 8