

KUBOTA SVL75 SKID STEER LOADER

Minor Service

● 0 ● 13 ● 83 ● 11

Inspection Number	RP058004	Customer No	103419
Serial Number	75030	Customer Name	CONO SERVICES PTY LTD
Make	KUBOTA	Customer Email	chloe.b@conoservices.com.au
Model	SVL75-2C	Works Order	RP058004
Equipment Family	SKID STEER LOADER	Completed On	5/03/2026 8:29:19 AM
Asset ID	AHSH170	Inspector	Reid Lewis
Location	CONO SERVICES PTY LTD Western Harbour Tunnel North Sydney NSW 2060	PDF Generated On	05/03/2026
Customer		Machine Hours	1296
		Next Meter	1500

General Info & Comments

● General Info/Comments

completed 250hr service no defects noticed



TASK SAFETY INSTRUCTIONS

● 1.1 Wear Correct PPE at all times

PASS

- 1.2 All isolation and safe work procedures must be followed PASS
- 1.3 Identify task hazards and controls utilising hierarchy or controls model PASS
- 1.4 Ensure a competent operator and spotter is utilised to move mobile equipment PASS
- 1.5 Ensure all mobile equipment is fundamentally stable PASS
- 1.6 Ensure three points of contact is maintained during access and egress PASS
- 1.7 Ensure acceptable housekeeping standards are maintained at all times PASS

MACHINE GENERAL RUNNINGCHECKS

- 2.1 Check all work lights, beacon & reverse alarm for operation PASS
- 2.2 Test all dash warning lights, gauges and audible alarms for correct operation PASS
- 2.3 Check idle timer for correct shut down operation N/A
- 2.4 Check operation of all three emergency stop buttons PASS
- 2.5 Check operation of horn PASS
- 2.6 Check operation of reverse camera PASS
- 2.7 Check alternator charge voltage PASS
- 2.8 Check operation of auto grease system by manually activating timer N/A
- 2.9 Check fire system control panel for 'Normal' N/A

PM FIRE SUPPRESSION SYSTEM

- 5.1 Ensure fire suppression bottle and components are securely mounted and in good condition N/A
- 5.2 Ensure fire suppression is correctly charged N/A
- 5.3 Inspect last charge date DATE:2026-03-05T00:00:00.000000
- 5.4 Check all fire extinguishers are securely mounted and in good condition PASS
- 5.5 Check all fire extinguishers are correctly charged PASS

● 5.6 Inspect last charge date

DATE:2026-02-05T00:00:00.000000

PM ENGINE

● 6.1 Perform engine valve set

PASS

● 6.2 Inspect air intake system hoses, pipes, clamps for signs of dirt ingress

PASS

● 6.3 Inspect engine for oil or fuel leaks

PASS

● 6.4 Inspect engine components for missing clamps

PASS

● 6.5 Inspect exhaust system for signs of leaks, loose bolts or missing clamps

PASS

● 6.6 Inspect turbo for security and signs of leaks

PASS

● 6.7 Inspect condition of exhaust lagging

PASS

● 6.8 Inspect engine mounts for condition and loose hardware

PASS

● 6.9 Inspect alternator mount condition and adjustment

PASS

● 6.10 Inspect wiring condition and security

PASS

● 6.11 Inspect engine belts

PASS

PM ENGINE COOLING SYSTEM

● 7.1 Check coolant level

PASS

● 7.2 Check condition of radiator cap

PASS

● 7.3 Check condition of radiator core

PASS

● 7.4 Check cooling system for signs of leaks

PASS

● 7.5 Check hose and clamp condition

PASS

● 7.6 Inspect fan condition and operation

PASS

● 7.7 Inspect radiator and fan guard condition

PASS

PM SWING TRANSMISSION

8.1 Inspect swing transmission for signs of leaks *N/A*

8.2 Inspect swing transmission oil level *N/A*

PM HYDRAULIC SYSTEM

9.1 Check hydraulic oil level *PASS*

9.2 Inspect hydraulic cylinders for leaks and security *PASS*

9.3 Inspect hydraulic hoses for leaks, damage, security *PASS*

9.4 Inspect hydraulic pump condition, leaks, security *PASS*

9.5 Check Pilot Accumulator operation as per OEM Maintenance Procedure - Test Boom Down Functionality with engine off *PASS*

PM FINAL DRIVES

10.1 Inspect LHS final drive mount condition for leaks and security *PASS*

10.2 Inspect LHS oil level and mag plug condition *PASS*

10.3 Inspect RHS final drive mount condition for leaks and security *PASS*

10.4 Inspect RHS oil level and mag plug condition *PASS*

PM UNDERCARRIAGE

11.1 Inspect LHS track tension *PASS*

11.2 Inspect RHS track tension *PASS*

11.3 Inspect tracks for loose/missing bolts *PASS*

11.4 Inspect load and carrier rollers for signs of leaks *PASS*

11.5 Inspect idlers for signs of leaks *PASS*

11.6 Inspect sprocket segments condition *PASS*

11.7 Inspect track frame for cracks, lose or missing hardware *PASS*

PM FRAME AND BODY

● 12.1 Check panels for damage and security	PASS
● 12.2 Check access steps and walkway condition	PASS
● 12.3 Inspect boom condition – cracks, missing clamps, damaged pipes, excessive movement, lubrication	PASS
● 12.4 Inspect stick condition – cracks, missing clamps, damaged pipes, excessive movement, lubrication	PASS
● 12.5 Inspect quick hitch condition and operation	PASS
● 12.6 Inspect bucket condition – cracks, wear, damage, mounts	PASS
● 12.7 Inspect GET condition and hardware	PASS

PM ELECTRICAL SYSTEM

● 13.1 Check battery condition	PASS
● 13.2 Check battery terminal condition	PASS
● 13.3 Check battery security	PASS
● 13.4 Check battery box drain is clear	PASS
● 13.5 Check wiring condition and security	PASS

PM GREASE SYSTEM

● 14.1 Check all points for acceptable lubrication	PASS
● 14.2 Inspect grease system operation	N/A
● 14.3 Check grease line condition	N/A
● 14.4 Refill grease tank	N/A
● 14.5 Lubricate bucket linkage	PASS
● 14.6 Lubricate blade linkage	PASS
● 14.7 Lubricate boom & stick linkage	PASS
● 14.8 Lubricate swing bearing	N/A

PM OPERATOR STATION

- | | |
|--|------|
| ● 15.1 Check all doors for correct opening and closing adjustments and operation | PASS |
| ● 15.2 Inspect condition of door seals | PASS |
| ● 15.3 Check window glass and seal condition | PASS |
| ● 15.4 Check mirror condition and adjustments | PASS |
| ● 15.5 Fill window washer reservoir | PASS |
| ● 15.6 Inspect air con vents condition | PASS |
| ● 15.7 Inspect seat belt and mounting hardware | PASS |
| ● 15.8 Inspect seat condition, operation and mounting | PASS |
| ● 15.9 Replace cabin A/C filter | PASS |

OIL SAMPLING

- | | |
|---------------|------|
| ● 16.1 Engine | PASS |
|---------------|------|

PM POST SERVICE INSPECTION CHECKS

- | | |
|--|--------|
| ● 17.1 All inspections have been completed and rectified as required | PASS |
| ● 17.2 All safety related defects have been repaired or reported | PASS |
| ● 17.3 All defects have been noted and reported | PASS |
| ● 17.4 All fluids are at correct level and drain plugs tight | PASS |
| ● 17.5 All oil samples have visually been inspected and any notable signs of contamination have been reported | PASS |
| ● 17.6 All replaced filters have been cut and inspected and photos added to CAT Inspect and reported to supervisor | PASS |
| ● 17.7 Machine has been recommissioned and ready for operation | PASS |
| ● 17.8 PM service notification marked off in Vision Link | NORMAL |

DEFECTS IDENTIFIED

● 18.1 DEFECTS IDENTIFIED *none*

OIL USED

● 19.1 Hydraulic oil *0*

● 19.2 Engine oil *10*

● 19.3 Slew oil *0*

● 19.4 Gear oil *2*

● 19.5 Coolant *0*