

## FITFLEET-EXCAVATOR-1000HR-CVA

Inspection Number 21205603 Customer No 2969824372

Serial Number KEF10389 Customer Name AUSTRALIAN HAMMER

SUPPLIES HIRE PTY

LTD

Make CATERPILLAR Customer Email hirebookings2@hammer

hire.com.au

Model 345 GC Work Order sc73136

Equipment Family Large Hydraulic Excavator Completed On 11/02/2025 1:47:44 PM

Asset ID AHSH89 Inspector Collin Graham SMU 5176 Hours PDF Generated On 11/02/2025

165 Exeter Rd, Kemps Creek, New South Coordinates 0, 0, 0

Wales 2178, Australia

Technician

## **General Info & Comments**

Location

## General info/Comments NORMAL













Form Order Report Serial Number: KEF10389 Asset ID: AHSH89 Page 1 of 10











TASK SAFETY INSTRUCTIONS - Revision Number: 02 Date: 25th September 2023		
1.1 Wear Correct PPE at all times	PASS	
1.2 All isolation and safe work procedures must be followed	PASS	
1.3 Identify task hazards and controls utilising hierarchy or controls model	PASS	
<ul> <li>1.4 Ensure a competent operator and spotter is utilised to move mobile equipment</li> </ul>	PASS	
1.5 Ensure all mobile equipment is fundamentally stable	PASS	
1.6 Ensure three points of contact is maintained during access and egress	PASS	
1.7 Ensure acceptable housekeeping standards are maintained at all times	PASS	
MACHINE GENERAL RUNNING CHECKS		
2.1 Check all work lights, beacon & reverse alarm for operation	PASS	

Form Order Report Serial Number : KEF10389 Asset ID : AHSH89 Page 2 of 10

	2.2 Test all dash warning lights, gauges and audible alarms for correct operation	PASS	
•	2.3 Check idle timer for correct shut down operation	PASS	
	2.4 Check operation of all three emergency stop buttons	PASS	
•	2.5 Check operation of horn	PASS	
	2.6 Check operation of reverse camera	PASS	
	2.7 Check alternator charge voltage - ACTUALV	PASS	
	2.8 Check operation of auto grease system by manually activating timer	N/A	
	2.9 Check fire system control panel for 'Normal'	N/A	
	2.10 Test hydraulic lock out function operation	PASS	
•	2.11 Check window wiper and washer operation	PASS	
PI	I SAFETY GENERAL INSPECTION		
•	3.1 Visually ensure all guards, shields and covers are in place and in good condition to ensure personal are protected from rotating parts	PASS	
•	3.2 Check condition of machine identification signage	PASS	
	3.3 Inspect ROPS/FOPS condition	PASS	
PI	PM BRAKING SYSTEM		
	4.1 Test travel brakes – Ensure the machine comes to a stop when travel controls are released	PASS	
	4.2 Test travel brakes – Ensure the brakes hold on a suitable slope	PASS	
PI	I FIRE SUPPRESSION SYSTEM		

•	5.1 Ensure fire suppression bottle and components are securely mounted and in good condition	N/A
	5.2 Ensure fire suppression is correctly charged	N/A
•	5.3 Inspect last charge date - ACTUAL	N/A
•	5.4 Check all fire extinguishers are securely mounted and in good condition	PASS
•	5.5 Check all fire extinguishers are correctly charged	PASS
•	5.6 Inspect last charge date - ACTUAL	PASS
PI	M ENGINE	
•	6.1 Perform engine valve set	PASS
•	6.2 Inspect air intake system hoses, pipes, clamps for signs of dirt ingress	PASS
•	6.3 Inspect engine for oil or fuel leaks	PASS
•	6.4 Inspect engine components for missing clamps	PASS
•	6.5 Inspect exhaust system for signs of leaks, loose bolts or missing clamps	PASS
•	6.6 Inspect turbo for security and signs of leaks	PASS
•	6.7 Inspect condition of exhaust lagging	PASS
•	6.8 Inspect engine mounts for condition and loose hardware	PASS
•	6.9 Inspect alternator mount condition and adjustment	PASS
•	6.10 Inspect wiring condition and security	PASS
•	6.11 Clean engine breather	PASS

6.12 Replace outer air filter	PASS
6.13 Replace inner air filter	PASS
6.14 Inspect & adjust engine belts	PASS
PM ENGINE COOLING SYSTEM	
7.1 Check coolant level	PASS
7.2 Check condition of radiator cap	PASS
7.3 Check condition of radiator core and blow out	PASS
7.4 Check cooling system for signs of leaks	PASS
7.5 Check hose and clamp condition	PASS
7.6 Inspect fan condition and operation	PASS
7.7 Inspect radiator and fan guard condition	PASS
PM SWING TRANSMISSION	
8.1 Inspect swing transmission for signs of leaks	PASS
8.2 Inspect swing transmission oil level	PASS
PM HYDRAULIC SYSTEM	
9.1 Check hydraulic oil level	PASS
9.2 Inspect hydraulic cylinders for leaks and security	PASS
9.3 Inspect hydraulic hoses for leaks, damage, security	PASS

9.4 Inspect hydraulic pu	mp condition, leaks, security		PASS
9.5 Check Pilot Accumu Test Boom Down Funct	lator operation as per OEM Mainte ionality with engine off	enance Procedure -	PASS
PM FINAL DRIVES			
10.1 Inspect LHS final decorated to the second	rive mount condition for leaks and	d security	PASS
10.2 Inspect LHS oil leve	el and mag plug condition		PASS
10.3 Inspect RHS final d	rive mount condition for leaks and	d security	PASS
10.4 Inspect RHS oil level	el and mag plug condition		PASS
PM UNDERCARRIAGE			
11.1 Inspect LHS track t	ension		PASS
11.2 Inspect RHS track to	rension		PASS
11.3 Inspect tracks for lo	pose/missing bolts		PASS
11.4 Inspect load and ca	arrier rollers for signs of leaks		PASS
11.5 Inspect idlers for si	gns of leaks		PASS
11.6 Inspect sprocket se	egments condition		PASS
11.7 Inspect track frame	for cracks, lose or missing hardw	/are	PASS
PM FRAME AND BODY			
12.1 Check panels for da	amage and security		PASS
12.2 Check access step	s and walkway condition		PASS

	12.3 Inspect boom condition – cracks, missing clamps, damaged pipes, excessive movement, lubrication	PASS
	12.4 Inspect stick condition – cracks, missing clamps, damaged pipes, excessive movement, lubrication	PASS
•	12.5 Inspect quick hitch condition and operation	PASS
•	12.6 Inspect bucket condition – cracks, wear, damage, mounts	PASS
•	12.7 Inspect GET condition and hardware	PASS
PI	MELECTRICAL SYSTEM	
•	13.1 Check battery condition	PASS
	13.2 Check battery terminal condition	PASS
•	13.3 Check battery security	PASS
•	13.4 Check battery box drain is clear	PASS
•	13.5 Check wiring condition and security	PASS
PI	II GREASE SYSTEM	
•	14.1 Check all points for acceptable lubrication	PASS
•	14.2 Inspect grease system operation	PASS
•	14.3 Check grease line condition	PASS
	14.4 Refill grease tank	N/A
	14.5 Lubricate bucket linkage	PASS
	14.6 Lubricate blade linkage	N/A

14.7 Lubricate boom & stick linkage	PASS
14.8 Lubricate swing bearing	PASS
PM OPERATOR STATION	
15.1 Check all doors for correct opening and closing adjustments and operation	PASS
15.2 Inspect condition of door seals	PASS
15.3 Check window glass and seal condition	PASS
15.4 Check mirror condition and adjustments	PASS
15.5 Fill window washer reservoir	PASS
15.6 Inspect air con vents condition	PASS
15.7 Inspect seat belt and mounting hardware	PASS
15.8 Inspect seat condition, operation and mounting	PASS
15.9 Replace cabin A/C filter	PASS
OIL SAMPLING	
16.1 Engine	PASS
16.2 Hydraulic System	PASS
16.3 LHS Final Drive	PASS
16.4 RHS Final Drive	PASS
16.5 Swing Transmission	PASS

<b>1</b> 6	.6 Coolant	PASS
OIL A	ND FILTERS	
• 17	1 Replace engine oil	PASS
• 17	2 Replace engine oil filter	PASS
• 17	3 Replace primary fuel filter (water separator) element	PASS
• 17	4 Replace secondary fuel filter	PASS
• 17	5 Replace fuel system third filter	PASS
• 17	6 Replace outer air filter	PASS
• 17	7 Replace inner air filter	PASS
• 17	.8 Replace cab filter	PASS
• 17	9 Replace A/C filter	PASS
• 17	.10 Replace hydraulic case drain filter	N/A
• 17	.11 Replace hydraulic pilot filter	N/A
• 17	12 Replace hammer filter	N/A
• 17	.13 Replace swing transmission oil	PASS
• 17	14 Replace final drive oil	PASS
• 17	.15 Replace hydraulic return filter	PASS
PM PC	OST SERVICE INSPECTION CHECKS	

18.1 All inspections have been completed and rectified as required	PASS
18.2 All safety related defects have been repaired or reported	PASS
18.3 All defects have been noted and reported	PASS
18.4 All fluids are at correct level and drain plugs tight	PASS
<ul> <li>18.5 All oil samples have visually been inspected and any notable signs of contamination have been reported</li> </ul>	PASS
<ul> <li>18.6 All replaced filters have been cut and inspected and photos added to CAT Inspect and reported to supervisor</li> </ul>	PASS
18.7 Machine has been recommissioned and ready for operation	PASS
18.8 PM service notification marked off in Vision Link	COMPLETED
DEFECTS IDENTIFIED	
19.1 DEFECTS IDENTIFIED	PASS