



Australian Hammer Supplies Hire
 Unit 3/32 Williamson Road
 Ingleburn
 NSW 2565

Major Service

RP042528

Customer AUSTRALIAN HAMMER SUPPLIES HIRE Resource Reid Lewis
 Contact

Address AUSTRALIAN HAMMER SUPPLIES HIRE Job Type Major Service
 Unit 3/32 WILLIAMSON RD Reference
 INGLEBURN Date 2024-08-30 15:24 - 15:33
 2565 Job duration 2:0:00
 Driving duration 00:00:00
 Distance travelled 0 km

Notes 3500HR SERVICE

Customer/Technician

Resource notes

Major Service		
	Answer	Notes
Additional notes	no	
Additional notes	no	
Change engine oil (litres used)	30	
Change fuel filter	yea	
Change fuel filter	yes	
Change gear oil (litres used)	0	
Change gear oil (litres used)	0	
Change hydraulic oil (litres used)	0	
Change hydraulic pilot filter	no	
Change hydraulic return filter	yes	
Change hydraulic suction filter	no	

Change inner air filter	no
Change oil filter	yes
Change oil filter	yes
Change outer air filter	yes
Change outer air filter	yes
Check hand controls operational	Yes
Check slew (full travel and smooth operation)	Yes
Check the hydraulic motor and the control block for oil leaks.	Yes
Does the Hitch need Shimming?	no
Foot pedals (operate correctly)	Yes
Gauges (operate correctly)	Yes
General check/adjust driver belts	Yes
General inspections/safety checks	all good
General inspections/safety checks	good
General inspections/safety checks	good
Grease & Lubricate Pins & bushes	Yes
Grease all nipples	yes
Grease all nipples	yes
Hand controls (operate correctly)	Yes
Handbrake (functional)	na
Inspect track tension	good
Inspect track tension	good
Inspect/top up coolant (litres used)	0
Inspect/top up coolant (litres used)	0
Meter Reading	3584
Operational inspection controls and safety locks Air conditioner/heater	Yes
Operational inspection controls and safety locks Attachment controls	Yes
Operational inspection controls and safety locks Battery charger rate	Yes
Operational inspection controls and safety locks Engine shut off	Yes
Operational inspection controls and safety locks Engine speed high	Yes

Operational inspection controls and safety locks Yes
Engine speed low idle

Operational inspection controls and safety locks E- Yes
STOPS

Operational inspection controls and safety locks Yes
Flow test hyd system(Ref. WSM)

Operational inspection controls and safety locks Yes
Horn hazard & warning devices

Operational inspection controls and safety locks Yes
Hour & tachometer

Operational inspection controls and safety locks Yes
Hydraulic auxiliary operation

Operational inspection controls and safety locks Yes
Instruments & Gauges

Operational inspection controls and safety locks Yes
Lights - Interior

Operational inspection controls and safety locks- Yes
Lights head,signal, stop & work

Operational inspection controls and safety locks Yes
Lights-warning

Operational inspection controls and safety locks Yes
Main relief pressure check: PSI =

Operational inspection controls and safety locks No Yes
coolant leaks

Operational inspection controls and safety locks No Yes
exhaust leaks

Operational inspection controls and safety locks No Yes
fuel system leaks

Operational inspection controls and safety locks No Yes
oil leaks

Operational inspection controls and safety locks Yes
Quick hitch

Operational inspection controls and safety locks Yes
Safety interlock function

Operational inspection controls and safety locks Yes
Seat belt operation & mounting

Operational inspection controls and safety locks Yes
Set clock & audio system

Operational inspection controls and safety locks Yes
Set service intervals

Operational inspection controls and safety locks- Yes
Switches & controls

Operational inspection controls and safety locks Yes
Verify relief valve setting (attach)



Australian Hammer Supplies Hire
Unit 3/32 Williamson Road
Ingleburn
NSW 2565

Operational inspection controls and safety locks	Yes
Windscreen wipers & washers	
Pre cleaner, cabin filter and outer air filter take out and blow out - Actioned?	No
Take hydraulic oil sample	no
Tracks check/adjust track tension	Yes

Tyre Condition 1



Tyre Condition 2



Tyre Condition 3



Tyre Condition 4

